



06

MOBILE UNITS

PUMP MASTER 3 GREASE PUMP MOBILE UNITS - 20 KG	46
PUMP MASTER 3 GREASE PUMP MOBILE UNITS - 50 KG	47
PUMP MASTER 3 GREASE PUMP MOBILE UNITS - 180 KG	48
PUMP MASTER 3+3 GREASE PUMP MOBILE UNITS - 20 KG	49
PUMP MASTER 3+3 GREASE PUMP MOBILE UNITS - 50 KG	49
PUMP MASTER 3+3 GREASE PUMP MOBILE UNITS - 180 KG	50
SELF CONTAINED OIL DISPENSERS - 25 L	51
SELF CONTAINED OIL DISPENSERS - 70 L	52
MOBILE UNITS FOR 60 L OIL DRUMS	52
MOBILE UNITS FOR 200 L OIL DRUMS	53
DRUM TROLLEYS	54

482 200

PUMPMASER 3 MOBILE AIR OPERATED GREASERS - SHIELDED - 20 KG



PumpMaster 3 air operated pump fixed on top of a protective shield. It can be used with any type of grease keg up to 20 kg (44 lbs) placed inside the shield.

482 200 - PM3 mobile air operated greaser - Shielded - 20 Kg.

Includes:

- 404 100: PumpMaster 3 - 55:1 grease pump, h= 410 mm with bung adaptor.
- 480 021: Protective shield with 4 castors.
- 412 102: 2 m x Ø1/4" high pressure hose.
- 413 080: High pressure grease control gun with "Z" swivel.

482 202 - PM3 mobile air operated greaser with meter - Shielded - 20 Kg.

Similar to previous model, includes high pressure meter 411 100.

Non included options:

- 417 001: Follower plate Ø 290 - 260 mm.
- 417 005: Follower plate Ø 330 - 300 mm.
- 950 220: 20 l grease container (Ø 280 x h 370 mm).

424 152

PUMPMASER 3 MOBILE AIR OPERATED GREASERS – 12,5 TO 20 KG



424 152 - PM3 mobile air operated greaser - 20 Kg.

Includes:

- 404 100: PumpMaster 3 - 55:1 grease pump, h= 410 mm with bung adaptor.
- 418 002: 330 mm drum cover for 20 Kg pails.
- 741 602: Carrying handle.
- 412 102: 2 m x Ø1/4" high pressure hose.
- 413 080: High pressure grease control gun with "Z" swivel.
- 430 000: Two wheeled trolley.

424 150 - PM3 mobile air operated greaser - 12,5 to 18 Kg.

Similar to previous model, includes 310 mm drum cover for 12,5 to 18 Kg pails. Recommended for 35 lb pails.

Non included options:

- 417 001: Follower plate Ø 298 - 260 mm.
- 417 005: Follower plate Ø 340 - 300 mm.
- 411 100: In line grease meter for grease control gun.
- 950 220: 20 l grease container (Ø 280 x h 370 mm).

Follower plate is an option

424 172

PUMP MASTER 3 PORTABLE AIR OPERATED GREASERS – 12,5 TO 20 KG



424 172 - PM3 portable air operated greaser - 20 Kg.

Includes:

- 404 100: PumpMaster 3 - 55:1 grease pump, h= 410 mm with bung adaptor.
- 418 002: 330 mm drum cover for 20 Kg pails.
- 741 602: Carrying handle.
- 412 102: 2 m x Ø1/4" high pressure hose.
- 413 080: High pressure grease control gun with "Z" swivel.

424 170 - PM3 portable air operated greaser - 12,5 to 18 Kg.

Similar to previous model, includes 310 mm drum cover for 12,5 to 18 Kg pails. Recommended for 35 lb pails.

Non included options:

- 417 001: Follower plate Ø 298 - 260 mm.
- 417 005: Follower plate Ø 340 - 300 mm.
- 411 100: In line grease meter for grease control gun.
- 950 220: 20 l grease container (Ø 280 x h 370 mm).

Follower plate is an option

482 500

PUMPMASER 3 MOBILE AIR OPERATED GREASER - SHIELDED - 50 KG



PumpMaster 3 mobile air operated greasers - shielded - 50 Kg.
PumpMaster 3 air operated pump fixed on top of a protective shield. Can be used with any type of grease keg up to 50 kg (120 lbs) placed inside the shield.

482 500 - PM3 mobile air operated greaser - Shielded - 50 Kg.

Includes:

- 407 200: PumpMaster 3 - 55:1 grease pump, h= 725 mm with bung adaptor.
- 480 050: Protective shield with 2 wheels and 2 castors.
- 412 103: 3 m x Ø1/4" high pressure hose.
- 413 080: High pressure grease control gun with "Z" swivel.

482 501 - PM3 mobile air operated greaser with meter - Shielded - 50 Kg.

Similar to previous model, includes high pressure meter 411 100.

Non included options:

- 417 003: Follower plate Ø 405 - 360 mm.
- 417 002: Follower plate Ø 370 - 330 mm.
- 950 250: 50 l grease container (Ø 370 x h 635 mm).

425 150

PUMPMASER 3 MOBILE AIR OPERATED GREASER - 50 KG



Follower plate is an option

425 150 - PM3 mobile air operated greaser - 50 Kg.

Includes:

- 407 200: PumpMaster 3 - 55:1 grease pump, h= 725 mm with bung adaptor.
- 418 004: 405 mm drum cover for 50 Kg pails.
- 412 103: 3 m x Ø1/4" high pressure hose.
- 413 080: High pressure grease control gun with "Z" swivel.
- 431 000: Four wheeled trolley.

Non included options:

- 417 003: Follower plate Ø 405 - 360 mm.
- 417 002: Follower plate Ø 370 - 330 mm.
- 411 100 In line grease meter for grease control gun.
- 950 250 : 50 l grease container (Ø 370 x h 635 mm).

425 290

PUMPMASER 3 PORTABLE AIR OPERATED GREASER - 50 KG



Follower plate is an option

425 290 - PM3 portable air operated greaser - 50 Kg.

Includes:

- 407 200: PumpMaster 3 - 55:1 grease pump, h= 725 mm with bung adaptor.
- 418 004: 405 mm drum cover for 50 Kg pails.
- 412 103: 3 m x Ø1/4" high pressure hose.
- 413 080: High pressure grease control gun with "Z" swivel.
- 430 000: Two wheeled trolley.
- 360 125: Gun holder for covers.

Non included options:

- 417 003: Follower plate Ø 390 - 360 mm.
- 417 002: Follower plate Ø 370 - 330 mm.
- 411 100: In line grease meter for grease control gun.
- 950 250: 50 l grease container (Ø 370 x h 635 mm).

428 243

PUMPMASTER 3 MOBILE AIR OPERATED GREASER - 180 KG



428 243 - PM3 mobile air operated greaser - 180 Kg.

Includes:

- 409 200: PumpMaster 3 - 55:1 grease pump, h= 920 mm with bung adaptor.
- 418 006: 610 mm drum cover for 180 Kg drums.
- 417 004: 590 - 550 mm follower plate for 180 Kg drums.
- 412 104: 4 m x Ø1/4" high pressure hose.
- 413 080: High pressure grease control gun with "Z" swivel.
- 432 000: 180 Kg drum trolley.

Non included options:

- 411 100: In line grease meter for grease control gun.

428 200

PUMPMASTER 3 MOBILE AIR OPERATED GREASER WITH HOSE REEL - 180 KG



428 200 - PM3 mobile air operated greaser with hose reel - 180 Kg.

Includes:

- 409 200: PumpMaster 3 - 55:1 grease pump, h= 920 mm with bung adaptor.
- 418 006: 610 mm drum cover for 180 Kg drums.
- 417 004: 590 - 550 mm follower plate for 180 Kg drums.
- 412 190: 1,5 m x Ø1/4" high pressure hose.
- 501 300: Open type hose reel with 10 m x 1/4" hose.
- 413 080: High pressure grease control gun with "Z" swivel.
- 432 814: 180 Kg drum heavy duty trolley.
- 360 113: Hose reel bracket for trolley 432 814.

Non included options:

- 411 100: In line grease meter for grease control gun.

486 201

PUMPMASTER 3+3 MOBILE AIR OPERATED GREASERS – SHIELDED – 20 KG



PumpMaster 3+3 air operated pump fixed on top of a protective shield. It can be used with any type of grease keg up to 20 kg (44 lbs) placed inside the shield.

486 200 - PM3+3 mobile air operated greaser - Shielded - 20 Kg.

Includes:

- 402 050: PumpMaster 3+3 - 55:1 grease pump, h= 410 mm with bung adaptor.
- 480 021: Protective shield with 4 castors.
- 412 102: 2 m x Ø1/4" high pressure hose.
- 413 080: High pressure grease control gun with "Z" swivel.
- 945 591: 3/8" BSP (M) x 1/4" BSP (M) connection adapter.

486 201 - PM3+3 mobile air operated greaser with meter - Shielded - 20 Kg.

Similar to previous model, includes high pressure meter 411 100.

Non included options:

- 417 001: Follower plate Ø 290 - 260 mm.
- 417 005: Follower plate Ø 330 - 300 mm.
- 950 220: 20 l grease container (Ø 280 x h 370 mm).

486 501

PUMPMASTER 3+3 MOBILE AIR OPERATED GREASERS - SHIELDED - 50 KG



PumpMaster 3+3 air operated pump fixed on top of a protective shield. It can be used with any type of 50 Kg grease drum.

486 500 - PM3+3 mobile air operated greaser - Shielded - 50 Kg.

Includes:

- 402 000: PumpMaster 3+3 - 55:1 grease pump, h= 725 mm with bung adaptor.
- 480 050: Protective shield with 2 wheels and 2 castors.
- 412 103: 3 m x Ø1/4" high pressure hose.
- 413 080: High pressure grease control gun with "Z" swivel.
- 945 591: 3/8" BSP (M) x 1/4" BSP (M) connection adapter.

486 501 - PM3+3 mobile air operated greaser with meter - Shielded - 50 Kg.

Similar to previous model, includes high pressure meter 411 100.

Non included options:

- 417 003: Follower plate Ø 390 - 360 mm.
- 417 002: Follower plate Ø 370 - 330 mm.
- 411 100: In line grease meter for grease control handle.
- 950 250: 50 l grease container (Ø 370 x h 635 mm).

426 243

PUMPMASTER 3+3 MOBILE AIR OPERATED GREASER - 180 KG



426 243 - PM3+3 mobile air operated greaser - 180 Kg.

Includes:

- 402 025: PumpMaster 3+3 - 55:1 grease pump, h= 920 mm with bung adaptor.
- 418 006: 610 mm drum cover for 180 Kg drums.
- 417 004: 590 - 550 mm follower plate for 180 Kg drums.
- 412 104: 4 m x Ø1/4" high pressure hose.
- 413 080: High pressure grease control gun with "Z" swivel.
- 432 000: 180 Kg drum trolley.
- 945 591: 3/8" BSP (M) x 1/4" BSP (M) connection adapter.

Non included options:

- 411 100: In line grease meter for grease control gun.

426 200

PUMPMASTER 3+3 MOBILE AIR OPERATED GREASER WITH HOSE REEL - 180 KG



426 200 - PM3+3 mobile air operated greaser with hose reel - 180 Kg.

Includes:

- 402 025: PumpMaster 3+3 - 55:1 grease pump, h= 920 mm with bung adaptor.
- 418 006: 610 mm drum cover for 180 Kg drums.
- 417 004: 590 - 550 mm follower plate for 180 Kg drums.
- 412 392: 1,5 m x Ø3/8" high pressure hose.
- 504 301: Open type hose reel with 15 m x 3/8" hose.
- 413 080: High pressure grease control gun with "Z" swivel.
- 432 814: 180 Kg drum heavy duty trolley.
- 360 113: Hose reel bracket for trolley 432 814.

Non included options:

- 411 100: In line grease meter for grease control gun.

324 000

PRESSURIZED LUBRICANT DISPENSER - 25 L



Mobile unit for dispensing viscous lubricants, with 25 l (6.6 gallons) steel container and level gauge. The unit must be pressurized using a tyre inflator (max pressure 7 bar - 100 psi, safety valve included). Supplied with a 1.5 m delivery hose and oil control gun with flexible outlet and manual non-drip nozzle.

324 000 - Pressurized lubricant dispenser - 25 l.

324 010 - Pressurized lubricant dispenser with hose end meter.

325 000

HAND OPERATED LUBRICANT DISPENSERS - 25 L



325 010 - Hand operated lubricant dispenser with meter - 25 l.

Self contained unit with a 25 l (6.6 gallons) container with level gauge. Unit includes a lever action pump, oil meter with digital register at the pump outlet and 1.5 m delivery hose with valve and 135° angled nozzle.

325 000 - Hand operated lubricant dispenser.

Same as model 325 010, without meter.

327 020

AIR OPERATED LUBRICANT DISPENSERS - 25 L



327 020 - Air operated lubricant dispenser with meter - 25 l.

Self contained unit with a 25 l (6.6 gallons) container with level gauge. Unit includes an air operated 2:1 pressure ratio pump, specially designed for dispensing high viscosity lubricants. Oil meter with digital register at the pump outlet and 1.5 m delivery hose with oil control gun with 110° angled outlet with manual non drip nozzle.

326 000

HAND OPERATED LUBRICANT DISPENSERS - 70 L



326 010 - Hand operated lubricant dispenser with meter - 70 l.

Self contained unit with a 70 l (17 gallons) container with level gauge. Unit includes a lever action pump, oil meter with digital register at the pump outlet and 1.5 m delivery hose with valve and 135° angled nozzle.

326 000 - Hand operated lubricant dispenser - 70 l.

Same as model 325 010, without meter.

328 010

AIR OPERATED LUBRICANT DISPENSERS - 70 L



328 010 - Air operated lubricant dispenser with meter

Self contained unit with a 70 l (17 gallons) container with level gauge. Unit includes an air operated 3:1 pressure ratio pump for dispensing all types of lubricants, 3 m delivery hose and hose end meter with semi automatic non drip nozzle.

370 400

MOBILE OIL DISPENSERS FOR 60 L DRUMS



370 400 - Mobile oil dispenser for 60 l drums with hose end meter

Includes:

- 358 100: 3:1 pressure ratio oil pump.
- 418 010: 405 mm drum cover with two bung openings.
- 362 103: 3 m oil hose.
- 431 000: 4 wheeled drum trolley for 50 l (16 gallons) drums.
- 365 603: Hose end meter.

370 500 - Mobile oil dispenser for 60 l drums

Same as model 370 400 but with a non metered oil control gun.

378 115

MOBILE OIL DISPENSERS FOR 200 L DRUMS WITH HOSE REEL



378 110 - Mobile oil dispensers for 200 l drums with hose reel

The pump mounted on the trolley makes replacing the drum when empty easier.

Includes:

- 353 110: 3:1 pressure ratio oil pump.
- 360 102: Wall pump bracket.
- 367 011: Suction hose for 200 l drums.
- 502 200: 8 m x 1/2" enclosed hose reel.
- 360 113: Hose reel bracket for trolleys.
- 365 603: Hose end meter with semi automatic non drip nozzle.
- 432 814: 200 l drum heavy duty trolley.

378 115 - Mobile oil dispensers for 200 l drums with hose reel and preset meter

Same as model 378 110, includes a preset meter (600 021) instead of the hose end meter 365 603.

376 610

MOBILE OIL DISPENSERS FOR 200 L DRUMS



376 610 - Mobile oil dispensers for 200 l drums

The pump mounted on the trolley makes replacing the drum when empty easier.

Includes:

- 353 110: 3:1 pressure ratio oil pump.
- 360 102: Wall pump bracket.
- 367 011: Suction hose for 200 l drums.
- 362 103: 3 m x 1/2" oil hose .
- 365 603: Hose end meter with semi automatic non drip nozzle.
- 432 814: 200 l drum heavy duty trolley.

376 615 - Mobile oil dispensers for 200 l drums with preset meter

Same as model 378 110, includes a preset meter (600 021) instead of the hose end meter 365 603.

376 300

MOBILE OIL DISPENSERS FOR 200 L DRUMS WITH LONG PUMP



376 300 - Mobile oil dispensers for 200 l drums

Includes:

- 354 100: 3:1 pressure ratio oil pump for 200 l drums.
- 362 103: 3 m x 1/2" oil hose.
- 365 603: Hose end meter with semi automatic non drip nozzle.
- 432 000: 200 l drum trolley.

376 301 - Mobile oil dispensers for 200 l drums with preset meter

Same as model 378 110, includes a preset meter (600 021) instead of the hose end meter 365 603.

432 814

HEAVY DUTY TROLLEY FOR 185 KG (440 LB) DRUMS



432 814 - 185 Kg drum heavy duty trolley

Heavy duty trolley with two Ø 260 mm tyres and one solid rubber swivelling wheel with brake. Includes an adjustable chain for securing the drum and a bracket mounted on the handle for fixing an air perated pump (requieres bracket 360 102). A hose reel can also be mounted using optional bracket (360 113).

360 113 - Hose reel bracket for trolley 432 814

432 000

TROLLEY FOR 185 KG (440 LB) DRUMS



432 000 - 185 Kg drum heavy duty trolley

Trolley with two solid rubber wheels and one rubber swivelling wheel with brake. A hose reel or a pump can be mounted using optional brackets.

360 134 - Pump bracket for trolley 360 134

(Requires wall bracket 306 102 for fixing an air operated pump).

360 135 - Hose reel bracket for trolley 360 135

431 000

TROLLEY FOR 50 KG (120 LB) DRUMS



431 000 - Trolley for 50 Kg drums

Four wheeled trolley with tubular frame for 50 and 20 Kg drums. The drum is fixed to the trolley with two height adjustable hooks.

430 000

TROLLEY FOR 20 KG (44 LB) PAILS



430 000 - Trolley for 20 Kg pails

Two wheeled trolley with tubular frame for 50 and 20 Kg drums. The drum is fixed to the trolley with one height adjustable hook.

360 130

PUMP HOLDER FOR TROLLEYS



360 130 - Pump holder for trolleys

For use with trolleys 431 000 and 430 000 when a pump cannot be fitted directly onto the drum. With 2" BSP (F) opening.

485 120

DRUM DOLLIES

485 120 - Adjustable drum dolly - 205 l

Dolly for drums with diameter Ø 400 - 600 mm, with three adjustable drum attachments and three swivel castors (Ø 75 mm), one of them with brake.

485 000 - Drum dolly - 50 l

Dolly for 50 l drums, with three adjustable drum attachments and four swivel castors (Ø 60 mm).



480 050

MOBILE PROTECTIVE DRUM SHIELDS

480 050 - Mobile protective drum shield - 50 l

480 021 - Mobile protective drum shield - 20 l

